



HEA-HEB-HEM Profiller

HEA - HEB - HEM PROFİLLER (EU 53-62 Toleranslar EN 10034)

Kesit	Boyut mm	G Birim Ağırlık kg/m	h Derinlik mm	b Genişlik mm	tw Gövde Kalınlığı mm	tf Başlık Kalınlığı mm	r İç Köşe Yarıçapı mm	Tek Profil Ağırlığı kg/12.1mm	1 Ton Profil Boyu m/ton
HE 100 A	100	16,7	96	100	5,0	8,0	12,0	202	60
HE 120 A	120	19,9	114	120	5,0	8,0	12,0	241	50
HE 140 A	140	24,7	133	140	5,5	8,5	12,0	299	40
HE 160 A	160	30,4	152	160	6,0	9,0	15,0	368	33
HE 180 A	180	35,5	171	180	6,0	9,5	15,0	430	28
HE 200 A	200	42,3	190	200	6,5	10,0	18,0	512	24
HE 220 A	220	50,5	210	220	7,0	11,0	18,0	611	20
HE 240 A	240	60,3	230	240	7,5	12,0	21,0	730	17
HE 260 A	260	68,2	250	260	7,5	12,5	24,0	825	15
HE 280 A	280	76,4	270	280	8,0	13,0	24,0	924	13
HE 300 A	300	88,3	290	300	8,5	14,0	27,0	1068	11
HE 320 A	320	97,6	310	300	9,0	15,5	27,0	1181	10
HE 340 A	340	105,0	330	300	9,5	16,5	27,0	1271	10
HE 360 A	360	112,0	350	300	10,0	17,5	27,0	1355	9
HE 400 A	400	125,0	390	300	11,0	19,0	27,0	1513	8
HE 450 A	450	140,0	440	300	11,5	21,0	27,0	1694	7
HE 500 A	500	155,0	490	300	12,0	23,0	27,0	1876	6
HE 550 A	550	166,0	540	300	12,5	24,0	27,0	2009	6
HE 600 A	600	178,0	590	300	13,0	25,0	27,0	2154	6
HE 650 A	650	190,0	640	300	13,5	26,0	27,0	2299	5
HE 700 A	700	204,0	690	300	14,5	27,0	27,0	2468	5

HE 800 A	800	224,0	790	300	15,0	28,0	30,0	2710	4
HE 900 A	900	252,0	890	300	16,0	30,0	30,0	3049	4
HE 1000 A	1.000	272,0	990	300	16,5	31,0	30,0	3291	4
HE 100 B	100	20,4	100	100	6,0	10,0	12,0	247	49
HE 120 B	120	26,7	120	120	6,5	11,0	12,0	323	37
HE 140 B	140	33,7	140	140	7,0	12,0	12,0	408	30
HE 160 B	160	42,6	160	160	8,0	13,0	15,0	515	23
HE 180 B	180	51,2	180	180	8,5	14,0	15,0	620	20
HE 200 B	200	61,3	200	200	9,0	15,0	18,0	742	16
HE 220 B	220	71,5	220	220	9,5	16,0	18,0	865	14
HE 240 B	240	83,2	240	240	10,0	17,0	21,0	1007	12
HE 260 B	260	93,0	260	260	10,0	17,5	24,0	1125	11
HE 280 B	280	103,0	280	280	10,5	18,0	24,0	1246	10
HE 300 B	300	117,0	300	300	11,0	19,0	27,0	1416	9
HE 320 B	320	127,0	320	300	11,5	20,5	27,0	1537	8
HE 340 B	340	134,0	340	300	12,0	21,5	27,0	1621	7
HE 360 B	360	142,0	360	300	12,5	22,5	27,0	1718	7
HE 400 B	400	155,0	400	300	13,5	24,0	27,0	1876	6
HE 450 B	450	171,0	450	300	14,0	26,0	27,0	2069	6
HE 500 B	500	187,0	500	300	14,5	28,0	27,0	2263	5
HE 550 B	550	199,0	550	300	15,0	29,0	27,0	2408	5
HE 600 B	600	212,0	600	300	15,5	30,0	27,0	2565	5
HE 650 B	650	225,0	650	300	16,0	31,0	27,0	2723	4
HE 700 B	700	241,0	700	300	17,0	32,0	27,0	2916	4
HE 800 B	800	262,0	800	300	17,5	33,0	30,0	3170	4
HE 900 B	900	291,0	900	300	18,5	35,0	30,0	3521	3
HE 1000 B	1.000	314,0	1.000	300	19,0	36,0	30,0	3799	3
HE 100 M	100	41,8	120	106	12,0	20,0	12,0	506	24
HE 120 M	120	52,1	140	126	12,5	21,0	12,0	630	19
HE 140 M	140	63,2	160	146	13,0	22,0	12,0	765	16
HE 160 M	160	76,2	180	166	14,0	23,0	15,0	922	13
HE 180 M	180	88,9	200	186	14,5	24,0	15,0	1076	11
HE 200 M	200	103,0	220	206	15,0	25,0	18,0	1246	10
HE 220 M	220	117,0	240	226	15,5	26,0	18,0	1416	9
HE 240 M	240	157,0	270	248	18,0	32,0	21,0	1900	6
HE 260 M	260	172,0	290	268	18,0	32,5	24,0	2081	6
HE 280 M	280	189,0	310	288	18,5	33,0	24,0	2287	5
HE 300 M	300	238,0	340	310	21,0	39,0	27,0	2880	4

HE 320 M	320	245,0	359	309	21,0	40,0	27,0	2965	4
HE 340 M	340	248,0	377	309	21,0	40,0	27,0	3001	4
HE 360 M	360	250,0	395	308	21,0	40,0	27,0	3025	4
HE 400 M	400	256,0	432	307	21,0	40,0	27,0	3098	4
HE 450 M	450	263,0	478	307	21,0	40,0	27,0	3182	4
HE 500 M	500	270,0	524	306	21,0	40,0	27,0	3267	4
HE 550 M	550	278,0	572	306	21,0	40,0	27,0	3364	4
HE 600 M	600	285,0	620	305	21,0	40,0	27,0	3449	4
HE 650 M	650	293,0	668	305	21,0	40,0	27,0	3545	3
HE 700 M	700	301,0	716	304	21,0	40,0	27,0	3642	3
HE 800 M	800	317,0	814	303	21,0	40,0	30,0	3836	3
HE 900 M	900	333,0	910	302	21,0	40,0	30,0	4029	3
HE 1000 M	1.000	349,0	1.008	302	21,0	40,0	30,0	4223	3